

TRANSVERSE PATCHING:

LONGITUDINAL PATCHING:

NOTES:

- 1. SEE DETAIL C-5.1.6 FOR PAVEMENT PATCH GENERAL NOTES
- 2. MILL AND OVERLAY FOR STREETS WITH PAVEMENT CONDITION INDEX (PCI) GREATER THAN 71 ONLY: WWW.CARSON.ORG/GOVERNMENT/DEPARTMENTS-G-Z/PUBLIC-WORKS/DIVISIONS/STREET-MAINTENANCE A. TRANSVERSE PATCHES SHALL INCLUDE A 2" MILL AND OVERLAY WHEREVER THERE ARE MULTIPLE PATCHES WITHIN 30 FEET OF EACH OTHER.
 - B. LONGITUDINAL PATCHES SHALL INCLUDE 2" MILL AND OVERLAY TO THE EDGE OF AC OR LANE LINES (BIKE, PARKING, OR TRAVEL).
- 3. MILL AND OVERLAY AREAS OF EXISTING AC PAVEMENT WITH SECTIONS OF LESS THAN 4 INCHES SHALL BE REMOVED AND RECONSTRUCTED.

NO.	REVISION	DATE	STANDARD DETAIL FOR PUBLIC WORKS CONSTRUCTION	SECTION
	NEW DETAIL	3/23		CARSON CITY
			DANCHENIT DATOLL	DRAWING NO.
			PAVEMENT PATCH	C-5.1.6.1 DATE
APPROVED BY: X 3/23				MAR 2023